

# **GENERAL LOCK**

— BUILDERS HARDWARE —

## **INDEX:**

<b>Push Plates</b> .....	L:1
<b>Pull Plates</b> .....	L:1
<b>Kick Plates</b> .....	L:1
<b>Scar Plates</b> .....	L:2
<b>Hole Filler Plates</b> .....	L:2
<b>Filler Plate Kits</b> .....	L:2
<b>Aluminum Frame Filler Plates</b> .....	L:3
<b>Filler Plates</b> .....	L:3
<b>Wrap Around Plates</b> .....	L:4

## TERMS AND CONDITIONS:

Copyright: © 2011 General Lock LLC. All text, graphics, photographs, and any selection, coordination, and arrangement of such materials contained herein is copyrighted and owned by General Lock. No material from this catalog may be copied, reproduced, republished, uploaded, posted, transmitted, or distributed in any way unless permission has been expressly granted by General Lock and any reproduction of this catalog, in whole or in part, and/or any information or materials contained in it is prohibited without the express authorization of General Lock. General Lock is a trademark or registered trademark of General Lock. ANY MATERIALS OR INFORMATION PROVIDED BY GENERAL LOCK IN THIS CATALOG IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. GENERAL LOCK ASSUMES NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS CATALOG, OR OTHER PUBLICATION OR OTHER DOCUMENTS, WHICH ARE REFERENCED BY THIS PUBLICATION.

All other brand names or product names, including Arrow, Best, Corbin-Russwin, Falcon, Kwikset, KSP, Sargent, Schlage, Weiser, and Yale, referenced herein are trademarks, registered trademarks, service marks, or trade names of the respective manufacturers of such products and are owned by their respective holders.

General Lock reserves the right to make changes in designs and specifications, to make addition or improvements on its products or to discontinue products without incurring any obligation. General Lock is not responsible for modification, addition or alteration to our products by others. Products may not appear as shown.

General Lock warrants only to Buyer that the products will be free from defects in material and workmanship for a period of 12 months from the date of shipment of the products unless a longer period is specified. This warranty does not cover wear and tear and shall be ineffective and shall not apply to products that have been subjected to misuse or abuse, neglect, accident, damage, or improper installation, or maintenance. Buyer's sole and exclusive remedy under these warranties will be limited to, at General Lock's sole option and expense, refund of the purchase price of, or the repair or replacement for of, the products or parts thereof which General Lock reasonably determines do not conform with these warranties. Buyer will inspect the products upon delivery and will promptly notify General Lock in writing of any defect in the products.

DISCLAIMER OF WARRANTIES: THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF, AND GENERAL LOCK DISCLAIMS AND BUYER WAIVES, ALL OTHER WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND OF ANY OTHER TYPE, WHETHER EXPRESS OR IMPLIED, ARISING BY LAW (STATUTORY OR OTHERWISE) AND WHETHER OR NOT OCCASIONED BY GENERAL LOCK'S NEGLIGENCE.

LIMITATION OF LIABILITY: IN NO EVENT SHALL GENERAL LOCK BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, PUNITIVE, OR CONSEQUENTIAL DAMAGES, INCLUDING ANY DAMAGES OCCASIONED BY GENERAL LOCK'S NEGLIGENCE. IN ADDITION, GENERAL LOCK'S LIABILITY ON ANY CLAIMS FOR DAMAGES OR CLAIMS ARISING OUT OF OR CONNECTED WITH THIS AGREEMENT OR THE SALE, DELIVERY OR USE OF THE PRODUCTS SHALL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCTS AND/OR SERVICES DELIVERED.

## Push, Pull, and Kick Plates


### APPLICATIONS:

Adding a decorative accent can protect the finish on metal or wood interior or exterior doors. Solid brass gives maximum corrosion resistance, plate is easy to install, and plastic cover protects finish during installation.

### PUSH PLATES:

Used on a door to protect the door from excessive wear, handprints and other damage. ANSI: J301.


PART#:	Description
<b>BH-70-605:</b>	3-1/2" x 15", US3
<b>BH-70-613:</b>	3-1/2" x 15", US10B
<b>BH-70-628:</b>	3-1/2" x 15", US28
<b>BH-70-630:</b>	3-1/2" x 15", US32D
<b>BH-71-628:</b>	4" x 16", US28
<b>BH-71-630:</b>	4" x 16", US32D



### PULL PLATES:

For use on interior or exterior of door to protect surface. Can be used to cover holes or to conceal minor damage. ANSI: J405.


PART#:	Description
<b>BH-7010-605:</b>	5-1/2" center to center, 3-1/2" x 15", US3
<b>BH-7010-613:</b>	5-1/2" center to center, 3-1/2" x 15", US10B
<b>BH-7010-628:</b>	5-1/2" center to center, 3-1/2" x 15", US28
<b>BH-7010-630:</b>	5-1/2" center to center, 3-1/2" x 15", US32D
<b>BH-7110-630:</b>	5-1/2" center to center, 4" x 16", US32D
<b>BH-7116-630:</b>	8" center to center, 4" x 16", US32D



### KICK PLATES:

Used on door subject to marring or damage from foot traffic. ANSI: J102.

PART#:	Description
<b>BH-10X34-630:</b>	10" x 34", US32D, 0.05 Thickness
<b>BH-8X34-630:</b>	8" x 34", US32D, 0.05 Thickness



# GENERAL LOCK

Quality & Value™

— Product Guide 105.0 — | L:1 |

## Filler Plates (page one of two)

### APPLICATIONS:

For repairing, reinforcing, or remodeling doors.

### SCAR PLATES:

Scar plates fit under locksets to cover damaged doors. Perfect for remodeling or repairing doors without the costly replacement of door. Heavy-duty one-piece construction. Scar plates convert 2-3/8" to 2-3/4" backset.

PART#:	Description
<b>BH-SP-135-605:</b>	Knob scar plate, converts 2-3/8" - 2-3/4", US3
<b>BH-SP-135-609:</b>	Knob scar plate, converts 2-3/8" - 2-3/4", US5
<b>BH-SP-135-630:</b>	Knob scar plate, converts 2-3/8" - 2-3/4", US32D
<b>BH-DSP-135-605:</b>	Fits under deadbolt collars, converts 2-3/8" to 2-3/4" backset, US3
<b>BH-DSP-135-630:</b>	Fits under deadbolt collars, converts 2-3/8" to 2-3/4" backset, 32D

### HOLE FILLER PLATES:


Hole filler plates are designed to cover up holes.

PART#:	Description
<b>BH-AR-335-613:</b>	3-1/2" diameter, US10B, allows for use of levers on 1-3/8" door
<b>BH-AR-335-630:</b>	3-1/2" diameter, US32D, allows for use of levers on 1-3/8" door
<b>BH-BF-135-PC:</b>	Hole filler, covers up to a 3-3/4" diameter
<b>BH-BF-161-BP:</b>	Hole filler, covers up to a 2-1/8" diameter, Brass Plated
<b>BH-BF-161-PC:</b>	Hole filler, covers up to a 2-1/8" diameter
<b>BH-BF-161-SL:</b>	Hole filler, covers up to a 2-1/8" diameter, Silver
<b>BH-BF-178-PC:</b>	Hole filler, covers up to a 1-1/2" diameter
<b>BH-BF-178-SL:</b>	Hole filler, covers up to a 1-1/2" diameter, Silver
<b>BH-PDF-161-PC:</b>	Hole filler, covers up to 2-1/8" hole under rim panic device


### FILLER PLATE KITS:

Finishes: PC (Prime Coated)


PART#:	Description
<b>BH-FPK-86:</b>	KIT, FOR 86 CUT OUT
<b>BH-FPK-161:</b>	KIT, FOR 161 CUT OUT




Scar Plate  
**BH-SP-135**  
(shown above)




Scar Plate  
**BH-DSP-135**  
(shown above)




Hole Filler Plate  
**BH-AR-335**  
(shown above)




Hole Filler Plate  
**BH-BF-135**  
(shown above)




Hole Filler Plate  
**BH-BF-161**  
(shown above)




Hole Filler Plate  
**BH-BF-178**  
(shown above)



Hole Filler Plate  
**BH-PDF-161**  
(shown above)



Filler Plate Kit  
**BH-FPK-86**  
(shown above)



Filler Plate Kit  
**BH-FPK-161**  
(shown above)

**GENERAL LOCK**

Quality & Value™

## Filler Plates (page two of two)

### APPLICATIONS:

For repairing, reinforcing, or remodeling doors.

### ALUMINUM FRAME FILLER PLATES:

Aluminum Frame Filler plates fit selected Folger Adams, Von Duprin, and Rofu numbers.

**PART#:** Description

**BH-AF-260-SL:** Electric strike filler, 4-7/8" x 1-1/4", Silver

**BH-AF-261-SL:** Electric strike filler, 4-7/8" x 1-1/4", Silver

### FILLER PLATES:

**BH-BTS-160-PC:** T-strike with 160 cut out, 2-3/4" x 1-3/8"

**BH-FF-45:** Frame hinge cut out, 4-1/2" x 1-5/8"

**BH-FS-260-PC:** Strike filler, 4-7/8" x 1-1/4"

**BH-HS-060:** 16-gauge, hinge shim, 4-1/2"

**BH-HS-090:** 13-gauge, hinge shim, 4-1/2"

**BH-CV-86:** Converts 86 cut out to 161, 8" x 1-1/4"

**BH-EF-86:** 86 cut out, 8" x 1-1/4" x 3/16"

**BH-EF-160:** 160 cut out, 2-1/4" x 1"


**BH-EF-161:** 161 cut out, 2-1/4" x 1-1/8"

**BH-EF-161-S:** 161 cut out, 2-3/4" x 1-1/8"

**BH-EF-634:** 6-3/4" x 1", flush bolt cut out

**BH-HF-45:** Door hinge cut out, 4-1/2" x 1-3/4"

**BH-SHF-45:** Door hinge cut out, 4-1/2" x 1-1/2"




**BH-AF-260**  
(shown above)



**BH-AF-261**  
(shown above)



**BH-BTS-160**  
T-strike with 160  
cut out  
(shown above)



**BH-FF-45**  
Frame hinge cut out  
(shown above)



**BH-FS-260**  
ANSI strike cut out  
(shown above)



**BH-HS-060**  
16 (.060) Gauge  
hinge shim  
(shown above)



**BH-CV-86**  
Converts 86 cut out  
to 161  
(shown above)




**BH-EF-86**  
86 cut out  
(shown above)



**BH-EF-160**  
160 cut out  
**BH-EF-161**  
160 cut out  
(shown above)



**BH-EF-634**  
Flush bolt cut out  
(shown above)



**BH-HF-45**  
Door hinge cut out  
(shown above)

# GENERAL LOCK

Quality & Value™

— Product Guide 105.0 — L:3


# Wrap Around Plates

## APPLICATIONS:


For repairing, reinforcing, or remodeling doors.

## WRAP AROUND PLATES:


PART#:	Description
<b>BH-1-PB-CW:</b>	2-3/8", 1-3/8", 2-1/8", 4" x 9", US3
<b>BH-1-S-CW:</b>	2-3/8", 1-3/8", 2-1/8", 4" x 9", US32D
<b>BH-2-PB-CW:</b>	2-3/8", 1-3/4", 2-1/8", 4" x 9", US3
<b>BH-2-S-CW:</b>	2-3/8", 1-3/4", 2-1/8", 4" x 9", US32D
<b>BH-3-PB-CW:</b>	2-3/4", 1-3/8", 2-1/8", 4-1/4" x 9", US3
<b>BH-4-PB-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 9", US3
<b>BH-4-S-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 9", US32D
<b>BH-4-S-2-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-3/4" x 9", US32D
<b>BH-12-2-S-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-3/4" x 12", US32D
<b>BH-14-S-CW:</b>	2-3/4", 1-3/4", 5" x 14", US32D
<b>BH-14-2-S-CW:</b>	2-3/4", 1-3/4", 5" x 14", US32D
<b>BH-15-S-CW:</b>	2-3/4", 1-3/4", 5" x 15", 32D, Simplex 1000
<b>BH-20-S-CW:</b>	2-3/4", 1-3/4", 2-1/8", 5" x 20", US32D
<b>BH-27-S-CW:</b>	2-3/4", 1-3/4", 5" x 15", US32D, Alarm Lock Trilogy
<b>BH-40-S-CW:</b>	1-3/4", 4-1/4" x 9", US32D, Blank Plate
<b>BH-51-PB-CW:</b>	2-3/8", 1-3/8", 2-1/8", 4" x 4-1/2", US3
<b>BH-61-PB-CW:</b>	2-3/8", 1-3/4", 2-1/8", 4" x 4-1/2", US3
<b>BH-80-S-CW:</b>	1-3/4", 4-1/2" x 4-1/2", US32D, Blank Plate
<b>BH-81-PB-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 4-1/2", US3
<b>BH-81-S-CW:</b>	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 4-1/2", US32D
<b>BH-504-S-CW:</b>	1-3/4", 5" x 12", US32D, Mortise 86 cut-out




**BH-1-PB-CW  
BH-1-S-CW**  
(shown above)




**BH-2-PB-CW  
BH-2-S-CW**  
(shown above)




**BH-3-PB-CW**  
(shown above)



**BH-4-PB-CW  
BH-4-S-CW**  
(shown above)




**BH-4-S-2-CW**  
(shown above)




**BH-12-2-S-CW**  
(shown above)




**BH-14-S-CW**  
(shown above)




**BH-14-2-S-CW**  
(shown above)




**BH-15-S-CW**  
(shown above)




**BH-20-S-CW**  
(shown above)




**BH-27-S-CW**  
(shown above)



**BH-40-S-CW  
BH-80-S-CW**  
(shown above)



**BH-51-PB-CW  
BH-61-PB-CW  
BH-81-PB-CW  
BH-81-S-CW**  
(shown above)



**BH-504-S-CW**  
(shown above)